














rtc TYPE M101.10

Flow diameter 10 mm / Nennweite 10 mm

TYPE M 101.10	Mobile side / Versorgerseite		Item code / Artikelnummer
<p>6 ↔ 6</p> 	<p>Standard hose Schlauchanschluss</p> 		<p>M 101.10-12 SHB 10 M 101.10-12 SHB 12 M 101.10-12 SHF 10 M 101.10-12 SHF 12</p> 
	<p>Push to connect Steckschlauchanschluss</p> 		<p>M 101.10-12 SPB 10 M 101.10-12 SPB 13 M 101.10-12 SPF 10 M 101.10-12 SPF 13</p> 
	<p>Female thread Innengewinde</p> 		<p>M 101.10-12 SFB 17 M 101.10-12 SNB 17 M 101.10-12 SFF 17 M 101.10-12 SNF 17</p> 
	<p>Female thread collector Innengewinde Sammler</p> 		<p>M 101.10-12 C 33 M 101.10-12 CN 33</p> 
	<p>K 101.10-12 AD</p> 	<p>Plate for 12 lines / Platte mit 12 Anschlüsse</p> 	
<p>6 ↔ 6</p>	<p>TYPE K 101.10 Mould side / Abnehmerseite</p>		<p>Item code / Artikelnummer</p>

Flow diameter 10 mm / Nennweite 10 mm

TYPE M 101.10 **rtc**

TYPE M 101.10	Mobile side / Versorgerseite	Item code / Artikelnummer												
		<p>Standard hose Schlauchanschluss</p> <table border="0"> <tr> <td></td> <td>Ø10</td> <td>M 101.10-16 SHB 10</td> </tr> <tr> <td></td> <td>Ø12</td> <td>M 101.10-16 SHB 12</td> </tr> <tr> <td>(Full flow) </td> <td>Ø10</td> <td>M 101.10-16 SHF 10</td> </tr> <tr> <td></td> <td>Ø12</td> <td>M 101.10-16 SHF 12</td> </tr> </table> 		Ø10	M 101.10-16 SHB 10		Ø12	M 101.10-16 SHB 12	(Full flow) 	Ø10	M 101.10-16 SHF 10		Ø12	M 101.10-16 SHF 12
		Ø10	M 101.10-16 SHB 10											
		Ø12	M 101.10-16 SHB 12											
(Full flow) 	Ø10	M 101.10-16 SHF 10												
	Ø12	M 101.10-16 SHF 12												
	<p>Push to connect Steckschlauchanschluss</p> <table border="0"> <tr> <td></td> <td>Ø10</td> <td>M 101.10-16 SPB 10</td> </tr> <tr> <td></td> <td>Ø13</td> <td>M 101.10-16 SPB 13</td> </tr> <tr> <td>(Full flow) </td> <td>Ø10</td> <td>M 101.10-16 SPF 10</td> </tr> <tr> <td></td> <td>Ø13</td> <td>M 101.10-16 SPF 13</td> </tr> </table> 		Ø10	M 101.10-16 SPB 10		Ø13	M 101.10-16 SPB 13	(Full flow) 	Ø10	M 101.10-16 SPF 10		Ø13	M 101.10-16 SPF 13	
	Ø10	M 101.10-16 SPB 10												
	Ø13	M 101.10-16 SPB 13												
(Full flow) 	Ø10	M 101.10-16 SPF 10												
	Ø13	M 101.10-16 SPF 13												
	<p>Female thread Innengewinde</p> <table border="0"> <tr> <td></td> <td>BSP 3/8</td> <td>M 101.10-16 SFB 17</td> </tr> <tr> <td></td> <td>NPT 3/8</td> <td>M 101.10-16 SNB 17</td> </tr> <tr> <td>(Full flow) </td> <td>BSP 3/8</td> <td>M 101.10-16 SFF 17</td> </tr> <tr> <td></td> <td>NPT 3/8</td> <td>M 101.10-16 SNF 17</td> </tr> </table> 		BSP 3/8	M 101.10-16 SFB 17		NPT 3/8	M 101.10-16 SNB 17	(Full flow) 	BSP 3/8	M 101.10-16 SFF 17		NPT 3/8	M 101.10-16 SNF 17	
	BSP 3/8	M 101.10-16 SFB 17												
	NPT 3/8	M 101.10-16 SNB 17												
(Full flow) 	BSP 3/8	M 101.10-16 SFF 17												
	NPT 3/8	M 101.10-16 SNF 17												
TYPE K 101.10	Mould side / Abnehmerseite	Item code / Artikelnummer												
		<p>Plate for 16 lines / Platte für 16 Anschlüsse</p> <p>K 101.10-16</p> 												







rtc TYPE M 101.10

Flow diameter 10 mm / Nennweite 10 mm

TYPE M 101.10	Mobile side / Versorgerseite	Item code / Artikelnummer													
<p>10 ↔ 10</p>		<p>Standard hose Schlauchanschluss</p>	<table border="1"> <tr> <td></td> <td>Ø10</td> <td>M 101.10-20 SHB 10</td> </tr> <tr> <td></td> <td>Ø12</td> <td>M 101.10-20 SHB 12</td> </tr> <tr> <td>(Full flow) </td> <td>Ø10</td> <td>M 101.10-20 SHF 10</td> </tr> <tr> <td></td> <td>Ø12</td> <td>M 101.10-20 SHF 12</td> </tr> </table>		Ø10	M 101.10-20 SHB 10		Ø12	M 101.10-20 SHB 12	(Full flow)	Ø10	M 101.10-20 SHF 10		Ø12	M 101.10-20 SHF 12
		Ø10	M 101.10-20 SHB 10												
		Ø12	M 101.10-20 SHB 12												
	(Full flow)	Ø10	M 101.10-20 SHF 10												
	Ø12	M 101.10-20 SHF 12													
	<p>Push to connect Steckschlauchanschluss</p>	<table border="1"> <tr> <td></td> <td>Ø10</td> <td>M 101.10-20 SPB 10</td> </tr> <tr> <td></td> <td>Ø13</td> <td>M 101.10-20 SPB 13</td> </tr> <tr> <td>(Full flow) </td> <td>Ø10</td> <td>M 101.10-20 SPF 10</td> </tr> <tr> <td></td> <td>Ø13</td> <td>M 101.10-20 SPF 13</td> </tr> </table>		Ø10	M 101.10-20 SPB 10		Ø13	M 101.10-20 SPB 13	(Full flow)	Ø10	M 101.10-20 SPF 10		Ø13	M 101.10-20 SPF 13	
	Ø10	M 101.10-20 SPB 10													
	Ø13	M 101.10-20 SPB 13													
(Full flow)	Ø10	M 101.10-20 SPF 10													
	Ø13	M 101.10-20 SPF 13													
	<p>Female thread Innengewinde</p>	<table border="1"> <tr> <td></td> <td>BSP 3/8</td> <td>M 101.10-20 SFB 17</td> </tr> <tr> <td></td> <td>NPT 3/8</td> <td>M 101.10-20 SNB 17</td> </tr> <tr> <td>(Full flow) </td> <td>BSP 3/8</td> <td>M 101.10-20 SFF 17</td> </tr> <tr> <td></td> <td>NPT 3/8</td> <td>M 101.10-20 SNF 17</td> </tr> </table>		BSP 3/8	M 101.10-20 SFB 17		NPT 3/8	M 101.10-20 SNB 17	(Full flow)	BSP 3/8	M 101.10-20 SFF 17		NPT 3/8	M 101.10-20 SNF 17	
	BSP 3/8	M 101.10-20 SFB 17													
	NPT 3/8	M 101.10-20 SNB 17													
(Full flow)	BSP 3/8	M 101.10-20 SFF 17													
	NPT 3/8	M 101.10-20 SNF 17													
	<p>Female thread collector Innengewinde Sammler</p>	<table border="1"> <tr> <td></td> <td>BSP 1.1/4</td> <td>M 101.10-20 C 42</td> </tr> <tr> <td></td> <td>NPT 1.1/4</td> <td>M 101.10-20 CN 42</td> </tr> </table>		BSP 1.1/4	M 101.10-20 C 42		NPT 1.1/4	M 101.10-20 CN 42							
	BSP 1.1/4	M 101.10-20 C 42													
	NPT 1.1/4	M 101.10-20 CN 42													
<p>10 ↔ 10</p>	<p>TYPE K 101.10</p> <p>Mould side / Abnehmerseite</p>	<p>Plate for 20 lines / Platte für 20 Anschlüsse</p> <p>Item code / Artikelnummer: K 101.10-20</p>													













Flow diameter 10 mm / Nennweite 10 mm

TYPE M 101.10 

TYPE M 101.10	Mobile side / Versorgerseite	Item code / Artikelnummer	
<p>12 ↔ 12</p>		<p>Standard hose Schlauchanschluss</p> <p>   </p>	<p> Ø10 M 101.10-24 SHB 10 Ø12 M 101.10-24 SHB 12 Ø10 M 101.10-24 SHF 10 Ø12 M 101.10-24 SHF 12 </p> 
		<p>Push to connect Steckschlauchanschluss</p> <p>   </p>	<p> Ø10 M 101.10-24 SPB 10 Ø13 M 101.10-24 SPB 13 Ø10 M 101.10-24 SPF 10 Ø13 M 101.10-24 SPF 13 </p> 
		<p>Female thread Innengewinde</p> <p>   </p>	<p> BSP 3/8 M 101.10-24 SFB 17 NPT 3/8 M 101.10-24 SNB 17 BSP 3/8 M 101.10-24 SFF 17 NPT 3/8 M 101.10-24 SNF 17 </p> 
		<p>Female thread collector Innengewinde Sammler</p> <p>  </p>	<p> BSP 1-1/4 M 101.10-24 C 42 NPT 1-1/4 M 101.10-24 CN 42 </p> 
<p>TYPE K 101.10</p> <p>12 ↔ 12</p>	<p>Mould side / Abnehmerseite</p> 	<p>Plate for 24 lines / Platte für 24 Anschlüsse</p> <p>K 101.10-24</p> 	







rtc TYPE M 101.10

Flow diameter 10 mm / Nennweite 10 mm

TYPE M 101.10	Sockets / Kupplungen	Connection / Anschluss	Item code / Artikelnummer
		Standard hose Schlauchanschluss 	Ø10 M 101.10 SHB 10 Ø12 M 101.10 SHB 12 Ø10 M 101.10 SHF 10 Ø12 M 101.10 SHF 12
		Push to connect Steckschlauchanschluss 	Ø10 M 101.10 SPB 10 Ø13 M 101.10 SPB 13 Ø10 M 101.10 SPF 10 Ø13 M 101.10 SPF 13
	Female thread Innengewinde 	BSP 3/8 M 101.10 SFB 17 NPT 3/8 M 101.10 SNB 17 BSP 3/8 M 101.10 SFF 17 NPT 3/8 M 101.10 SNF 17	
		For collector Für Sammler 	M 101.10 SAB 00
TYPE M 101.10	Plugs / Nippel	Connection / Anschluss	Item code / Artikelnummer
		Female thread Innengewinde 	BSP 3/8 M 101.10 PFB 17 NPT 3/8 M 101.10 PNB 17 BSP 3/8 M 101.10 PFF 17 NPT 3/8 M 101.10 PNF 17
		Male thread Aussengewinde 	BSP 1/2 M 101.10 PMB 21 BSP 1/2 M 101.10 PMF 21
TYPE M 101.10	Adapters elbow / Adapter Winkel	Connection / Anschluss	Item code / Artikelnummer
		Standard hose Schlauchanschluss 	BSP 3/8 → Ø10 EBH 17/10-90 Ø12 EBH 17/12-90 NPT 3/8 → Ø10 EBH 17T/10-90 Ø12 EBH 17T/12-90
		Push to connect Steckschlauchanschluss 	BSP 3/8 → Ø10 EBP 17/10-90 Ø13 EBP 17/13-90 NPT 3/8 → Ø10 EBP 17T/10-90 Ø13 EBP 17T/13-90
		TE 17-20 BSP 3/8" Male (Ød) - BSP 3/8" Female (Ød1) Extention BSP 3/8" Aussengewinde (Ød) - BSP 3/8" Innengewinde (Ød1) Verlängerung TE 17-17N-20 BSP 3/8" Male (Ød) - NPT 3/8" Female (Ød1) Extention BSP 3/8" Aussengewinde (Ød) - NPT 3/8" Innengewinde (Ød1) Verlängerung TE 17T-17N-20 NPT 3/8" Male (Ød) - NPT 3/8" Female (Ød1) Extention NPT 3/8" Aussengewinde (Ød) - NPT 3/8" Innengewinde (Ød1) Verlängerung	

Flow diameter 12 mm / Nennweite 12 mm

TYPE M 101.12 **rtc**

TYPE M 101.12	Mobile side / Versorgerseite		Item code / Artikelnummer	
<p>3 ↔ 3</p> 	<p>Standard hose Schlauchanschluss</p> 		<p>M 101.12-06 SHB 12 M 101.12-06 SHB 16 M 101.12-06 SHF 12 M 101.12-06 SHF 16</p>	
	<p>Push to connect Steckschlauchanschluss</p> 			<p>M 101.12-06 SPB 13 M 101.12-06 SPB 16 M 101.12-06 SPF 13 M 101.12-06 SPF 16</p>
	<p>Female thread Innengewinde</p> 			<p>M 101.12-06 SFB 21 M 101.12-06 SNB 21 M 101.12-06 SFF 21 M 101.12-06 SNF 21</p>
TYPE K 101.12	Mould side / Abnehmerseite		Item code / Artikelnummer	
<p>3 ↔ 3</p> 	<p>Plate for 6 lines / Platte für 6 Anschlüsse</p> 		<p>K 101.12-06</p>	