

ID511 EX-PROOF Weighing Controller

A high-precision device suitable for automated weighing processes is a weighing control indicator.



ABOUT PRODUCT

ID511-EX is an Ex-Proof tar control indicator suitable for use in hazardous areas.

It has high precision, reliable, many fieldbus interfaces.


It easily meets the complex and demanding requirements of industrial tar control.

It is suitable for automatic weighing processes such as Bagging, Filling and Dosing.

APPLICATION AREAS



Agriculture And
Livestock



Machinery and
Industry



Food



Chemistry -
Petrochemistry

TECHNICAL SPECIFICATIONS

7 Digt LED Display, 22mm height (for Panel type)
7 Dijit LED Display, 25.4mm height (for model of SS IP68)
150.000 Display division, 6000e
200Hz Analog Digital Convert, 200 times second compare speed
5 Steps dynamic filter, High level vibration filter
Standard 2 Seri ports: (RS232 + R232 / 485), Modbus RTU
PLC Communication interface board
8 Inputs / 12 Outputs (OC)
8 Inputs / 12 Outputs (Relay)
4-20mA Output (16-bit DAC) x 1
4-20mA Output (16-bit DAC) x 2
100M LAN (TCP,UDP,MODBUS-TCP)
POFIBUS DP for Siemens PLC
PROFINET for Siemens PLC
EtherNet / IP for Rockwall PLC
CC-LINK for Mitsubishi PLC